

**CDM 2015 Health & Safety Information**

This information relates only to 'Significant Hazards' identified on this drawing and is to be read in conjunction with the Designer's Risk Assessment Register.

**Notes:**

Frames: Timber to be retained and restored where required. New frames to match existing subject to a full survey of the existing windows.

Clear Glazing : Sealed double glazed, heat soak tested toughened safety glass to all lights.  
All glazing in and adjacent to doors on the ground floor should be laminated (outer pane) to a min. thickness of 6.4mm and securely fixed in accordance with the manufacturer's recommendations

Opaque panels: clear outer pane heat soak tested toughened safety glass, ceramic frit to inner pane. A1 Non-combustible insulation adhered to back of panel.

Ironmongery:  
Concealed friction stays.  
Integral restrictor of each opening sash restricting initial opening to less than 100mm. Window cleaning hinges to each opening pane - Restrictor manually disengaged to permit window to fully open to allow safe cleaning of glass.

All Windows/Doors to ground floor to be designed as secure windows in accordance with Approved document Q par. 2.2 and 2.3 (Designed in accordance with PAS 24:2012 is one method of compliance).

**GENERAL NOTES**

- EXISTING WINDOWS TO HAVE SECONDARY GLAZING FITTED
- ALL NEW WINDOWS TO HAVE TIMBER FRAMES WITH DOUBLE GLAZING TO MATCH EXISTING PROFILES. MULLION AND TRANSOM LINES TO REPLICATE AND MATCH PROPORTIONS OF EXISTING WINDOWS



**1 West Elevation**

1 : 200



**2 South Elevation**

1 : 200




**3 East Elevation**

1 : 200

**4 North Elevation**

1 : 200



**5 Secondary Glazing Intent Detail**

1 : 5

Rev	Date	Revision Details	Dr	Ch



**Bristol:** Westworks, Beacon Tower, Colston Street, Bristol, BS1 4XE  
T 0117 214 1101 E [bristol@ecwestworks.com](mailto:bristol@ecwestworks.com)  
**Sussex:** 64 - 68 Brighton Road, Worthing, West Sussex, BN11 2EN  
T 01903 248777 E [sussex@ecarchitecture.com](mailto:sussex@ecarchitecture.com)  
**London:** 76 Great Suffolk Street, London SE1 0BL  
T 020 7928 2773 E [london@ecarchitecture.com](mailto:london@ecarchitecture.com)

**WESTWORKS**  
[www.ecwestworks.com](http://www.ecwestworks.com)

Client's Name  
**CROSSMAN GROUP**

Job Title  
**CHRISTCHURCH HALL**

Drawing Title  
**Proposed Strategy for Existing Windows**

Scale

Drawn **AG** Checked **JW** Date **11/10/24**

Job No	Origin	Vol	Level	Type	Role	Number	Status	Rev
W0802	WW	ZZ	XX	DT	A	5301	S2	

Status  
**PLANNING**